Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10	("5201047" | "5404295" | "5829004" | "5870735" | "5899992" | "6012069" | "6078913" | "6138115" | "6292797" | "6298340").PN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2005/10/17 03:04
L3	3	(@ad < "20010705" @rlad < "20010705") AND ((classification partition) adj tree$1) same (miss$3 incomplet$3 inaccurat$3)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:27
L4	0	("2002/0059202").URPN.	USPAT	ADJ	OFF	2005/10/17 03:30
L6	28486	CART	US-PGPUB; USPAT	OR	ON	2005/10/17 03:32
L7	1	l6 and l3	US-PGPUB; USPAT	OR	ON	2005/10/17 03:33
L8	841	((segment$3 partition$ classificat$3) adj tree$1)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:43
L9	9	((segment$3 partition$ classificat$3) adj tree$1) same (incomplet$3 miss$3 inaccurat$3)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:42
L10	1	miss-classify	US-PGPUB; USPAT	OR	ON	2005/10/17 03:42
L11	3	incomplete same ((segment$3 partition$ classificat$3) adj tree$1)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:44
L12	194	(multiple plurality parallel) same ((segment$3 partition$ classificat$3) adj tree$1)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:44
L13	40	l12 and (miss$3 incomplet$3)	US-PGPUB; USPAT	OR	ON	2005/10/17 03:45
L15	1	"6212526".pn.	US-PGPUB; USPAT	OR	ON	2005/10/17 06:27
L16	1	"6519580".pn.	US-PGPUB; USPAT	OR	ON	2005/10/17 06:28
L19	7	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND ((first second) with (classification adj tree)) and default	US-PGPUB; USPAT	OR	ON	2005/10/17 06:45
L21	225	(@ad < "20010905" @rlad < "20010905") AND ("707"/$.ccls. "709"/$.ccls.) AND (relation$4 NEAR3 ((data ADJ base) (data-base) database)) AND ((categor$4 classif$4 classification) NEAR3 (tree node hierarch$4))	USPAT	OR	OFF	2005/10/17 08:11

L26	1	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND ((multi two) with (classification adj tree)) and surrogate	US-PGPUB; USPAT	OR	ON	2005/10/17 08:18
S45	3912	(@ad < "20010905" @rlad < "20010905") AND ("707"/$.ccls. "709"/$.ccls.) AND (relation$4 NEAR3 ((data ADJ base) (data-base) database))	USPAT	OR	OFF	2005/10/05 18:18
S51	4485	(@ad < "20010905" @rlad < "20010905") AND ("707"/$.ccls. "709"/$.ccls.) AND (relation$4 NEAR3 ((data ADJ base) (data-base) database))	USPAT	OR	ON	2005/10/05 18:19
S52	6319	(@ad < "20010905" @rlad < "20010905") AND ("707"/$.ccls. "709"/$.ccls.) AND (relation$4 NEAR3 ((data ADJ base) (data-base) database))	US-PGPUB; USPAT	OR	ON	2005/10/05 18:21
S53	7	S52 and (cluster$1 adj2 assignment)	US-PGPUB; USPAT	OR	ON	2005/10/05 18:19
S54	11	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND ((first second) with (classification adj tree))	US-PGPUB; USPAT	OR	ON	2005/10/17 08:16
S55	1	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND ((first second) with (classification adj tree)) and ((miss$3 incomplet$3) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 18:45
S56	3	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND (classification adj tree) and ((miss$3 incomplet$3) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 18:52
S57	3642217	(@ad < "20010705" @rlad < "20010705") (data adj analysis) AND (classification adj tree) and ((miss$3 incomplet$3) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 18:52
S58	1	(@ad < "20010705" @rlad < "20010705") and (data adj analysis) AND (classification adj tree) and ((miss$3 incomplet$3) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 18:59

S59	1	(@ad < "20010705" @rlad < "20010705") and (data adj analysis) AND ((classification partition)adj tree) and ((miss$3 incomplet$3) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/06 15:35
S61	1	(@ad < "20010705" @rlad < "20010705") and (data adj analysis) AND ((classification partition) adj tree$1) and ((miss$3 incomplet$3 inaccurate) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 19:02
S62	4	(@ad < "20010705" @rlad < "20010705") and ((data adj analysis) or (data adj mining)) AND ((classification partition) adj tree$1) and ((miss$3 incomplet$3 inaccurate) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/06 15:34
S63	1	(@ad < "20010705" @rlad < "20010705") and ((first second) same (classification adj tool$1)) and ((miss$3 incomplet$3 inaccurate) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 19:07
S64	1	(@ad < "20010705" @rlad < "20010705") and ((first second) same (classification adj (tree$1 tool$1))) and ((miss$3 incomplet$3 inaccurate) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/05 19:08
S66	4	("5675553" | "5819006" | "5842189" | "5970482").PN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2005/10/05 19:16
S67	26	multi-level and (data-mining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/05 19:28
S72	4	(data adj mining) AND ((classification partition) adj tree$1) and ((miss$3 incomplet$3 inaccurate) with (info$4 record$1))	US-PGPUB; USPAT	OR	ON	2005/10/17 04:20
S73	5	(@ad < "20010705" @rlad < "20010705") AND ("707"/$.ccls. "709"/$.ccls.) AND ((multi two) with (classification adj tree))	US-PGPUB; USPAT	OR	ON	2005/10/17 08:17

S74	1	(@ad < "20010705" @rlad < "20010705") AND (classification adj tree$1) same (miss$3 incomplet$3 inaccurat$3) near2 (info$4 record$1 file$1 dcument$1)	US-PGPUB; USPAT	OR	ON	2005/10/06 15:44
S75	3	(@ad < "20010705" @rlad < "20010705") AND (classification adj tree$1) same (miss$3 incomplet$3 inaccurat$3) and (info$4 record$1 file$1 dcument$1)	US-PGPUB; USPAT	OR	ON	2005/10/17 06:13